



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 22-006771/D002.R002
Report Date: 07/22/2022
ORELAP#: OR100028
Purchase Order:
Received: 06/10/22 11:27

This is an amended version of report# 22-006771/D002.R001.
 Reason: Combine results with report 22-008384/D002.R000.

Customer: GVB Oregon
Product identity: Comp. BSD GVL-TST270
Manufactured Date: 6/9/2022
Laboratory ID: 22-006771-0001

Summary

Potency:

Analyte	Result (%)		
CBD	90.6	<ul style="list-style-type: none"> ● CBD ● CBDV ● CBC ● CBT ● CBG ● 9-THC ● CBN 	CBD-Total 90.6%
CBDV	0.528		THC-Total 0.213%
CBC	0.430		(Reported in percent of total sample)
CBT	0.427		
CBG	0.293		
Δ9-THC	0.213		
CBN	0.175		

Residual Solvents:

All analytes passing and less than LOQ.

Pesticides:

All analytes passing and less than LOQ.

Metals:

Less than LOQ for all analytes.



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794


Report Number: 22-006771/D002.R002
Report Date: 07/22/2022
ORELAP#: OR100028
Purchase Order:
Received: 06/10/22 11:27



Customer: GVB Oregon
 United States of America (USA)
Product identity: Comp. BSD GVL-TST270
Client/Metric ID: .
Sample Date:
Laboratory ID: 22-006771-0001
Evidence of Cooling: No
Temp: 30.3 °C
Relinquished by: Client

Sample Results

Potency	Method: J AOAC 2015 V98-6 (mod) ^b		Units %	Batch: 2205078	Analyze: 6/14/22 1:00:00 PM
Analyte	As Received	Dry weight	LOQ	Notes	
CBC	0.430		0.0674		
CBC-A	< LOQ		0.0674		
CBC-Total	0.430		0.126		
CBD	90.6		0.674		
CBD-A	< LOQ		0.0674		
CBD-Total	90.6		0.733		
CBDV	0.528		0.0674		
CBDV-A	< LOQ		0.0674		
CBDV-Total	0.528		0.126		
CBE	< LOQ		0.0674		
CBG	0.293		0.0674		
CBG-A	< LOQ		0.0674		
CBG-Total	0.293		0.126		
CBL	< LOQ		0.0674		
CBL-A	< LOQ		0.0674		
CBL-Total	< LOQ		0.126		
CBN	0.175		0.0674		
CBT	0.427		0.0674		
Δ8-THC	< LOQ		0.0674		
Δ8-THCV	< LOQ		0.0674		
Δ9-THC	0.213		0.0674		
exo-THC	< LOQ		0.0674		
THC-A	< LOQ		0.0674		
THC-Total	0.213		0.126		
THCV	< LOQ		0.0674		
THCV-A	< LOQ		0.0674		
THCV-Total	< LOQ		0.126		
Total Cannabinoids	92.7				



- CBD
- CBDV
- CBC
- CBT
- CBG
- 9-THC
- CBN

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Testing in accordance with: OAR 333-007-0410 OAR 333-007-0430



12423 NE Whitaker Way
 Portland, OR 97230
 503-254-1794



Report Number: 22-006771/D002.R002
Report Date: 07/22/2022
ORELAP#: OR100028
Purchase Order:
Received: 06/10/22 11:27

Solvents											
Method: Residual Solvents by GC/MS ^p											
Units µg/g Batch 2205208 Analyze 06/20/22 09:17 AM											
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
1,4-Dioxane	< LOQ	380	100	pass		2-Butanol	< LOQ	5000	200	pass	
2-Ethoxyethanol	< LOQ	160	30.0	pass		2-Methylbutane (Isopentane)	< LOQ		200		
2-Methylpentane	< LOQ		30.0			2-Propanol (IPA)	< LOQ	5000	200	pass	
2,2-Dimethylbutane	< LOQ		30.0			2,2-Dimethylpropane (neo-pentane)	< LOQ		200		
2,3-Dimethylbutane	< LOQ		30.0			3-Methylpentane	< LOQ		30.0		
Acetone	< LOQ	5000	200	pass		Acetonitrile	< LOQ	410	100	pass	
Benzene	< LOQ	2.00	1.00	pass		Butanes (sum)	< LOQ	5000	400	pass	
Cyclohexane	< LOQ	3880	200	pass		Ethyl acetate	< LOQ	5000	200	pass	
Ethyl benzene	< LOQ		200			Ethyl ether	< LOQ	5000	200	pass	
Ethylene glycol	< LOQ	620	200	pass		Ethylene oxide	< LOQ	50.0	20.0	pass	
Hexanes (sum)	< LOQ	290	150	pass		Isopropyl acetate	< LOQ	5000	200	pass	
Isopropylbenzene (Cumene)	< LOQ	70.0	30.0	pass		m,p-Xylene	< LOQ		200		
Methanol	< LOQ	3000	200	pass		Methylene chloride	< LOQ	600	60.0	pass	
Methylpropane (Isobutane)	< LOQ		200			n-Butane	< LOQ		200		
n-Heptane	< LOQ	5000	500	pass		n-Hexane	< LOQ		30.0		
n-Pentane	< LOQ		200			o-Xylene	< LOQ		200		
Pentanes (sum)	< LOQ	5000	600	pass		Propane	< LOQ	5000	200	pass	
Tetrahydrofuran	< LOQ	720	100	pass		Toluene	< LOQ	890	100	pass	
Total Xylenes	< LOQ		400			Total Xylenes and Ethyl benzene	< LOQ	2170	600	pass	



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794

Report Number: 22-006771/D002.R002
Report Date: 07/22/2022
ORELAP#: OR100028
Purchase Order:
Received: 06/10/22 11:27



Pesticides											
Method: AOAC 2007.01 & EN 15662 (mod) ^b					Units mg/kg	Batch 2205216	Analyze 06/17/22 04:51 PM				
Analyte	Result	Limits	LOQ	Status	Notes	Analyte	Result	Limits	LOQ	Status	Notes
Abamectin [¥]	< LOQ	0.50	0.250	pass		Acephate [¥]	< LOQ	0.40	0.250	pass	
Acequinocyl [¥]	< LOQ	2.0	1.00	pass		Acetamiprid [¥]	< LOQ	0.20	0.100	pass	
Aldicarb [¥]	< LOQ	0.40	0.200	pass		Azoxystrobin [¥]	< LOQ	0.20	0.100	pass	
Bifenazate [¥]	< LOQ	0.20	0.100	pass		Bifenthrin [¥]	< LOQ	0.20	0.100	pass	
Boscalid [¥]	< LOQ	0.40	0.200	pass		Carbaryl [¥]	< LOQ	0.20	0.100	pass	
Carbofuran [¥]	< LOQ	0.20	0.100	pass		Chlorantraniliprole [¥]	< LOQ	0.20	0.100	pass	
Chlorfenapyr [¥]	< LOQ	1.0	0.500	pass		Chlorpyrifos [¥]	< LOQ	0.20	0.100	pass	
Clofentazine [¥]	< LOQ	0.20	0.100	pass		Cyfluthrin [¥]	< LOQ	1.0	0.500	pass	
Cypermethrin [¥]	< LOQ	1.0	0.500	pass		Daminozide [¥]	< LOQ	1.0	0.500	pass	
Diazinon [¥]	< LOQ	0.20	0.100	pass		Dichlorvos [¥]	< LOQ	1.0	0.500	pass	
Dimethoate [¥]	< LOQ	0.20	0.100	pass		Ethoprophos [¥]	< LOQ	0.20	0.100	pass	
Etofenprox [¥]	< LOQ	0.40	0.200	pass		Etoazole [¥]	< LOQ	0.20	0.100	pass	
Fenoxycarb [¥]	< LOQ	0.20	0.100	pass		Fenpyroximate [¥]	< LOQ	0.40	0.200	pass	
Fipronil [¥]	< LOQ	0.40	0.200	pass		Flonicamid [¥]	< LOQ	1.0	0.400	pass	
Fludioxonil [¥]	< LOQ	0.40	0.200	pass		Hexythiazox [¥]	< LOQ	1.0	0.400	pass	
Imazalil [¥]	< LOQ	0.20	0.100	pass		Imidacloprid [¥]	< LOQ	0.40	0.200	pass	
Kresoxim-methyl [¥]	< LOQ	0.40	0.200	pass		Malathion [¥]	< LOQ	0.20	0.100	pass	
Metalaxyl [¥]	< LOQ	0.20	0.100	pass		Methiocarb [¥]	< LOQ	0.20	0.100	pass	
Methomyl [¥]	< LOQ	0.40	0.200	pass		MGK-264 [¥]	< LOQ	0.20	0.100	pass	
Myclobutanil [¥]	< LOQ	0.20	0.100	pass		Naled [¥]	< LOQ	0.50	0.250	pass	
Oxamyl [¥]	< LOQ	1.0	0.500	pass		Paclobutrazole [¥]	< LOQ	0.40	0.200	pass	
Parathion-Methyl [¥]	< LOQ	0.20	0.200	pass		Permethrin [¥]	< LOQ	0.20	0.100	pass	
Phosmet [¥]	< LOQ	0.20	0.100	pass		Piperonyl butoxide [¥]	< LOQ	2.0	1.00	pass	
Prallethrin [¥]	< LOQ	0.20	0.200	pass		Propiconazole [¥]	< LOQ	0.40	0.200	pass	
Propoxur [¥]	< LOQ	0.20	0.100	pass		Pyrethrin I (total) [¥]	< LOQ	1.0	0.500	pass	
Pyridaben [¥]	< LOQ	0.20	0.100	pass		Spinosad [¥]	< LOQ	0.20	0.100	pass	
Spiromesifen [¥]	< LOQ	0.20	0.100	pass		Spirotetramat [¥]	< LOQ	0.20	0.100	pass	
Spiroxamine [¥]	< LOQ	0.40	0.200	pass		Tebuconazole [¥]	< LOQ	0.40	0.200	pass	
Thiacloprid [¥]	< LOQ	0.20	0.100	pass		Thiamethoxam [¥]	< LOQ	0.20	0.100	pass	
Trifloxystrobin [¥]	< LOQ	0.20	0.100	pass							

Metals

Analyte	Result	Limits	Units	LOQ	Batch	Analyzed Method	Status	Notes
Arsenic	< LOQ	0.200	mg/kg	0.0911	2206142	07/20/22 AOAC 2013.06 (mod.) ^b	pass	
Cadmium	< LOQ	0.200	mg/kg	0.0911	2206142	07/20/22 AOAC 2013.06 (mod.) ^b	pass	
Lead	< LOQ	0.500	mg/kg	0.0911	2206142	07/20/22 AOAC 2013.06 (mod.) ^b	pass	
Mercury	< LOQ	0.100	mg/kg	0.0455	2206142	07/20/22 AOAC 2013.06 (mod.) ^b	pass	

Test results relate only to the parameters tested and to the samples as received by the laboratory. Test results meet all requirements of NELAP and the Columbia Laboratories quality assurance plan unless otherwise noted. This report shall not be reproduced, except in full, without the written consent of this laboratory. Samples will be retained for a maximum of 30 days from the receipt date unless prior arrangements have been made.

Testing in accordance with: OAR 333-007-0400 OAR 333-007-0410 OAR 333-007-0430



12423 NE Whitaker Way
Portland, OR 97230
503-254-1794



Report Number: 22-006771/D002.R002
Report Date: 07/22/2022
ORELAP#: OR100028
Purchase Order:
Received: 06/10/22 11:27

These test results are representative of the individual sample selected and submitted by the client.

Abbreviations

Limits: Action Levels per OAR-333-007-0400, OAR-333-007-0210, OAR-333-007-0220, CCR title 16-division 42. BCC-section 5723

Limit(s) of Quantitation (LOQ): The minimum levels, concentrations, or quantities of a target variable (e.g., target analyte) that can be reported with a specified degree of confidence.

♣ = ISO/IEC 17025:2017 accredited method.

* = TNI accredited analyte.

Units of Measure

µg/g = Microgram per gram

mg/kg = Milligram per kilogram = parts per million (ppm)

% = Percentage of sample

% wt = µg/g divided by 10,000

Approved Signatory

Derrick Tanner
General Manager